

Message

From: Lindstrom, Andrew [Lindstrom.Andrew@epa.gov]
Sent: 5/20/2020 6:43:49 PM
To: Wilson, Jennifer [wilson.jenniferA@epa.gov]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]
CC: Strynar, Mark [strynar.mark@epa.gov]; Stanek, Lindsay [Stanek.Lindsay@epa.gov]
Subject: RE: PFAS Soil Sampling Results by DuPont's Washington Works Facility
Attachments: Galloway et al. 2020 proof.pdf; Galloway et al. 2020 Supporting Information.pdf

Jenny,

We believe the paper will be published next week.

I've attached the galley proof of the main text and the Supporting Information. All of the data are included in these files.

The soil measurements are listed in Table S7 of the Supporting information. The GPS coordinates for this samples are listed in Table S11.

Please let us know if we can do anything to help.

Thank you very much,

Andy

Ex. 5 Deliberative Process (DP)

From: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Sent: Wednesday, May 20, 2020 2:33 PM
To: Lindstrom, Andrew <Lindstrom.Andrew@epa.gov>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin

<rowsey.kevin@epa.gov>

Subject: PFAS Soil Sampling Results by DuPont's Washington Works Facility

Enforcement Confidential and Deliberative.

Hi Andy,

Ex. 5 Deliberative Process (DP)

Thank you,
Jenny

Jennifer Wilson, P.E.
Environmental Engineer, Water Enforcement and Compliance Assurance Branch
U.S. EPA Region 5
ECW-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751

This email may contain deliberative, attorney-client, attorney work product, or otherwise privileged material. Do not release under FOIA without appropriate review. If this email has been received by you in error, you are instructed to delete it from your machine and all storage media whether electronic or hard copy.